

# COLOR *Range*



# Contents


- 02-31 Deluxe Five Years Hydrolysis Resistance PU Vinyl
- 32-40 Deluxe Italian Nano Skin PU Vinyl
- 41-50 Durable Standard PVC Vinyl
- 51-52 Deluxe Standard PU Table Covers
- 53 Certification

## Deluxe Five Years Hydrolysis Resistance PU Vinyl

Our deluxe five years hydrolysis resistance PU has high elasticity and strength, but yet soft to the touch. With many colors to choose from this PU will make sure you are worry free for five years. It is water and alcohol resistant. This PU is a great companion for any massage products.

**Quality Tests:** Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test, Hydrolysis Resistance Test.

**Color Fastness Test:** 90% industrial alcohol is used on a cloth with a weight of 1kg, the PU is rubbed 100 times to check for discoloration. ( Fig.1~Fig.3)




**Elasticity Test:** Two samples are sewn together, with a great amount of pressure the samples are being pulled apart to check its strength.(Fig.4)

**Thickness Test:** The dial thickness gauge is used to restrict any variance plus/minus 0.03mm in thickness. (Fig.5)

**Surface Defect Test:** Cloth inspection machine is used to inspect surface defects while performing a four point system.(Fig.6)

**Hydrolysis Resistance Test:** Sample PUs are soaked in 10% sodium hydroxide for 48 hours, then taken out of solution to check for deterioration. (Fig.7~Fig.8)



**Color:01# Black**  
**Pantone:19-4006TPX**



**Thickness: 1.0mm**  
**Elasticity: High**  
**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test, Hydrolysis Resistance Test.**  
**Products: Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.**

**Color:02# Burgundy**  
**Pantone:19-1524TPX**



**Thickness: 1.0mm**  
**Elasticity: High**  
**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test, Hydrolysis Resistance Test.**  
**Products: Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.**

**Color:03# Purple**  
**Pantone:19-3518TPX**



**Thickness: 1.0mm**  
**Elasticity: High**  
**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test, Hydrolysis Resistance Test.**  
**Products: Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.**

**Color:04# Agate blue**  
**Pantone:**



**Thickness: 1.0mm**  
**Elasticity: High**  
**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test, Hydrolysis Resistance Test.**  
**Products: Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.**

**Color:05# Beige**  
**Pantone:12-0704TPX**



**Thickness: 1.0mm**  
**Elasticity: High**  
**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test, Hydrolysis Resistance Test.**  
**Products: Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.**

**Color:06# MC Beige**  
**Pantone:18-4141TPX**



**Thickness: 1.0mm**  
**Elasticity: High**  
**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test, Hydrolysis Resistance Test.**  
**Products: Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.**



**Color:07# Marina Blue**

**Pantone:18-4141TPX**



**Thickness: 1.0mm**

**Elasticity: High**

**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test, Hydrolysis Resistance Test.**

**Products: Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.**

**Color:08# Formula One**

**Pantone:19-1763TPX**



**Thickness: 1.0mm**

**Elasticity: High**

**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test, Hydrolysis Resistance Test.**

**Products: Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.**

**Color:09# Meadow Green**

**Pantone:14-6316TPX**



**Thickness: 1.0mm**

**Elasticity: High**

**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test, Hydrolysis Resistance Test.**

**Products: Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.**

**Color:10# Ochve**

**Pantone:14-1036TPX**



**Thickness: 1.0mm**

**Elasticity: High**

**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test, Hydrolysis Resistance Test.**

**Products: Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.**

**Color:11# The Macaw Green**

**Pantone:16-0230TPX**



**Thickness: 1.0mm**

**Elasticity: High**

**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test, Hydrolysis Resistance Test.**

**Products: Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.**

**Color:12# Cinnamon**

**Pantone:19-1250TPX**



**Thickness: 1.0mm**

**Elasticity: High**

**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test, Hydrolysis Resistance Test.**

**Products: Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.**



**Color:13# Chocolate**  
**Pantone:19-1012TPX**



**Thickness: 1.0mm**  
**Elasticity: High**  
**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test, Hydrolysis Resistance Test.**  
**Products: Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.**

**Color:14# Lily Green**  
**Pantone:13-6107TPX**



**Thickness: 1.0mm**  
**Elasticity: High**  
**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test, Hydrolysis Resistance Test.**  
**Products: Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.**

**Color:15# Lilac**  
**Pantone:12-2903TPX**



**Thickness: 1.0mm**  
**Elasticity: High**  
**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test, Hydrolysis Resistance Test.**  
**Products: Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.**

**Color:16# Blue**  
**Pantone:19-3864TPX**



**Thickness: 1.0mm**  
**Elasticity: High**  
**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test, Hydrolysis Resistance Test.**  
**Products: Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.**

**Color:17# Yellow**  
**Pantone:15-1054TPX**



**Thickness: 1.0mm**  
**Elasticity: High**  
**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test, Hydrolysis Resistance Test.**  
**Products: Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.**

**Color:18# White**  
**Pantone:11-0601TPX**



**Thickness: 1.0mm**  
**Elasticity: High**  
**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test, Hydrolysis Resistance Test.**  
**Products: Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.**

**Color:19# Jade**  
**Pantone:16-5515TPX**



**Thickness: 1.0mm**  
**Elasticity: High**  
**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test, Hydrolysis Resistance Test.**  
**Products: Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.**

**Color:20# Sky Blue**  
**Pantone:17-4023TPX**



**Thickness: 1.0mm**  
**Elasticity: High**  
**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test, Hydrolysis Resistance Test.**  
**Products: Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.**



**Color:21# Seamist**  
**Pantone:18-3922TPX**



**Thickness: 1.0mm**  
**Elasticity: High**  
**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test, Hydrolysis Resistance Test.**  
**Products: Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.**

**Color:22# Orange**  
**Pantone:17-1461TPX**



**Thickness: 1.0mm**  
**Elasticity: High**  
**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test, Hydrolysis Resistance Test.**  
**Products: Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.**



**Color:23# Cyan**  
**Pantone:18-4728TPX**



**Thickness: 1.0mm**  
**Elasticity: High**  
**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test, Hydrolysis Resistance Test.**  
**Products: Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.**

**Color:24# Otter**  
**Pantone:17-1319TPX**



**Thickness: 1.0mm**  
**Elasticity: High**  
**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test, Hydrolysis Resistance Test.**  
**Products: Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.**

**Color:25# Charcoal**  
**Pantone:17-1319TPX**



**Thickness: 1.0mm**  
**Elasticity: High**  
**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test, Hydrolysis Resistance Test.**  
**Products: Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.**

**Color:26# Lamb Brown**  
**Pantone:19-1012TPX**



**Thickness: 1.0mm**  
**Elasticity: High**  
**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test, Hydrolysis Resistance Test.**  
**Products: Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.**

**Color:27# Teal**  
**Pantone:19-5413TPX**



**Thickness: 1.0mm**  
**Elasticity: High**  
**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test, Hydrolysis Resistance Test.**  
**Products: Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.**

**Color:28# Cobalt Blue**  
**Pantone:18-4141TPX**



**Thickness: 1.0mm**  
**Elasticity: High**  
**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test, Hydrolysis Resistance Test.**  
**Products: Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.**

**Color:29# Navy Blue**

**Pantone:19-3920TPX**



**Thickness: 1.0mm**

**Elasticity: High**

**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test, Hydrolysis Resistance Test.**

**Products: Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.**




## Deluxe Italian Nano Skin PU Vinyl

Our deluxe Italian Nano Skin PU has a shiny gloss to the surface, it will immediately light up the room. Choose this PU your customers will receive a five year warranty, with the great elasticity it is perfect for any massage products. Nano Skin PU is also known for oil and water resistant, the best choice for spa and In-home use. This PU is the easiest to clean, no bacteria will be left behind on this shiny PU.

**Quality Tests:** Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test, Hydrolysis Resistance Test.

**Color Fastness Test:** 90% industrial alcohol is used on a cloth with a weight of 1kg, the PU is rubbed 100 times to check for discoloration. (Fig.1~Fig.3)




**Elasticity Test:** Two samples are sewn together, with a great amount of pressure the samples are being pulled apart to check its strength.(Fig.4)

**Thickness Test:** The dial thickness gauge is used to restrict any variance plus/minus 0.03mm in thickness. (Fig.5)

**Surface Defect Test:** Cloth inspection machine is used to inspect surface defects while performing a four point system.(Fig.6)

**Hydrolysis Resistance Test:** Sample PUs are soaked in 10% sodium hydroxide for 48 hours, then taken out of solution to check for deterioration. (Fig.7~Fig.8)



**Color:01# Black**  
**Pantone:19-4006TPX**



**Thickness: 0.8mm**  
**Elasticity: Medium**  
**Quality Tests:** Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test, Hydrolysis Resistance Test.  
**Products:** Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.



**Color:02# MC Beige**  
**Pantone:14-1116TPX**



**Thickness: 0.8mm**  
**Elasticity: Medium**  
**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test, Hydrolysis Resistance Test.**  
**Products: Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.**

**Color:03# Chocolate**  
**Pantone:19-1109TPX**



**Thickness: 0.8mm**  
**Elasticity: Medium**  
**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test, Hydrolysis Resistance Test.**  
**Products: Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.**

**Color:04# Surf Blue**  
**Pantone:14-4816TPX**



**Thickness: 0.8mm**  
**Elasticity: Medium**  
**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test, Hydrolysis Resistance Test.**  
**Products: Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.**

**Color:05# Dove Grey**  
**Pantone:17-0000TPX**



**Thickness: 0.8mm**  
**Elasticity: Medium**  
**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test, Hydrolysis Resistance Test.**  
**Products: Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.**

**Color:06# Cream**  
**Pantone:13-0814TPX**



**Thickness: 0.8mm**  
**Elasticity: Medium**  
**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test, Hydrolysis Resistance Test.**  
**Products: Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.**

**Color:07# King's Purple**  
**Pantone:18-4141TPX**



**Thickness: 0.8mm**  
**Elasticity: Medium**  
**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test, Hydrolysis Resistance Test.**  
**Products: Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.**

**Color:08# Emerald Green**

**Pantone:17-5641TPX**



**Thickness: 0.8mm**

**Elasticity: Medium**

**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test, Hydrolysis Resistance Test.**


**Products: Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.**

## Durable Standard PVC Vinyl

Our durable standard PVC has a stronger and harder feel to the skin which makes it more durable and less likely to deteriorate. Its low elasticity is the best choice for medical tables and massage chairs. PVC has a two year warranty guaranteed for your customers.

**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test.**

**Color Fastness Test: 90% industrial alcohol is used on a cloth with a weight of 1kg, the PU is rubbed 100 times to check for discoloration. (Fig.1~Fig.4)**



**Elasticity Test: Two samples are sewn together, with a great amount of pressure the samples are being pulled apart to check its strength.(Fig.5)**

**Thickness Test: The dial thickness gauge is used to restrict any variance plus/minus 0.03mm in thickness. (Fig.6)**

**Surface Defect Test: Cloth inspection machine is used to inspect surface defects while performing a four point system.(Fig.7)**





**Color:01# Black**  
**Pantone:19-4006TPX**



**Thickness: 0.8mm**  
**Elasticity: Medium**  
**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test.**  
**Products: Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.**

**Color:02# Burgundy**  
**Pantone:19-1524TPX**



**Thickness: 0.8mm**  
**Elasticity: Medium**  
**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test.**  
**Products: Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.**



## Color:03# Agate Blue



Thickness: 0.8mm

Elasticity: Medium

Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test.

Products: Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.

## Color:04# Beige

Pantone:13-1009TPX



Thickness: 0.8mm

Elasticity: Medium

Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test.

Products: Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.

**Color:05# Chocolate**

**Pantone:19-1012TPX**



**Thickness: 0.8mm**

**Elasticity: Medium**

**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test.**

**Products: Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.**

**Color:06# Navy Blue**

**Pantone:19-3920TPX**



**Thickness: 0.8mm**

**Elasticity: Medium**

**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test.**

**Products: Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.**

**Color:07# DK Yellow**  
**Pantone:15-1145TPX**



**Thickness: 0.8mm**  
**Elasticity: Medium**  
**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test.**  
**Products: Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.**

**Color:08# DK Green**  
**Pantone:15-0538TPX**



**Thickness: 0.8mm**  
**Elasticity: Medium**  
**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test.**  
**Products: Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.**

**Color:09# Seamist**  
**Pantone:18-3922TPX**



**Thickness: 0.8mm**  
**Elasticity: Medium**

**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test.**  
**Products: Massage tables, Massage Chairs, Bolsters, Face Cushions, Arm Rests.**

## Deluxe Standard PU Table Covers

Our deluxe standard PU table covers are made of high quality 5 years hydrolysis resistance PU with air layer backing. It will thoroughly protect the table's original upholstery from scratches therefore lengthen the table's lifetime. It also transforms an old table into a new table instantaneously. It comes in square corners or round corners with elasticity to fit your table top perfectly.

**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test.**

**Color Fastness Test:** 90% industrial alcohol is used on a cloth with a weight of 1kg, the PU is rubbed 100 times to check for discoloration. (Fig.1~Fig.3)



[Fig.1]



[Fig.2]



[Fig.3]



[Fig.4]

**Elasticity Test:** Two samples are sewn together, with a great amount of pressure the samples are being pulled apart to check its strength.(Fig.4)

**Thickness Test:** The dial thickness gauge is used to restrict any variance plus/minus 0.03mm in thickness. (Fig.5)

**Surface Defect Test:** Cloth inspection machine is used to inspect surface defects while performing a four point system.(Fig.6)

**Hydrolysis Resistance Test:** Sample PUs are soaked in 10% sodium hydroxide for 48 hours, then taken out of solution to check for deterioration.(Fig.7~Fig.8)



[Fig.5]



[Fig.6]



[Fig.7]



[Fig.8]



**Color:01# Black**  
**Pantone:19-4006TPX**



**Thickness: 0.8mm**  
**Elasticity: High**  
**Quality Tests: Color Fastness Test, Elasticity Test, Thickness Test, Surface Defect Test, Hydrolysis Resistance Test.**  
**Products: Massage tables**

## Certification

**AoV** 安姆特检测  
 AOV TESTING

**TEST REPORT**

NO.: A002T180607014-1R01 Date: May 13, 2015 Page 1 of 16

Report on the submitted sample said to be  
 Sample name: PU Leather  
 Model: /  
 Item/Lot No.: /  
 Material: PU  
 Buyer: /  
 Supplier: /  
 Manufacturer: /  
 Sample received date: May, 07, 2015  
 Testing period: From May, 07, 2015 to May, 13, 2015

**Testing Requested:**  
 As specified by client, based on the list published by European chemicals agency (ECHA) on Oct. 28, 2008, Jan. 13, 2010, Mar. 30, 2010, Jun. 18, 2010, Dec. 15, 2010, Jun. 20, 2011, Dec. 19, 2011, Jun. 18, 2012, Dec. 19, 2012, Jun. 20, 2013, Dec. 16, 2013, Jun. 16, 2014 and Dec. 17, 2014 for public consultation regarding regulation (EC) No. 1907/2006 concerning the REACH, to determine the 161 Substances of Very High Concern (SVHC) content in the submitted sample.

**Testing method and instrument:**  
 Acid digestion and analyzed by ICP-OES  
 Ultrasonic extraction and analyzed by GC-MS; HS-GC-MS; HPLC;  
 Boiling water extraction (Metal), Alkali digestion (Non-metal) analyzed by UV-VIS  
 Oxygen bomb burning analyzed by IC

\*\*\*\*\*FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S)\*\*\*\*\*

Signed for and on behalf of  
 Shenzhen AOV Testing Technology Co., Ltd. Kunshan Branch

Project Leader by: *Sandy* Xie Yun, Sandy Project Leader  
 Reviewed by: *Owen* Guo Fu, Owen Laboratory Supervisor  
 Approved by: *Maggie* Li Tingting, Maggie Laboratory Manager

SHENZHEN AOV TESTING TECHNOLOGY CO., LTD. KUNSHAN BRANCH  
 No. 3 Miyang Road, Zhushan Town, Kunshan City, Jiangsu Province, China  
 Tel: +86-512-80103020 Fax: +86-512-80103008 Http://www.aov-test.com.cn Postcode: 215300  
 (All rights reserved. All the terms and conditions apply to this report)

Hotline  
 400 700 8600

